

# MY ASTHMA REVIEW WORKSHEET



## WHAT IS YOUR ASTHMA GOAL?

An asthma goal is what you would like to be able to do if asthma didn't get in the way.

I want to...

  

"... be able to play with my kids without coughing"

"... be able to exercise without wheezing"

"... enjoy my retirement"

An **Asthma Review** is a chance for you to talk to your doctor, nurse or health worker about what you wish was better about your asthma.

This worksheet will help you get ready.

## MY NOTES

## GP/NURSE NOTES



### BEFORE YOUR APPOINTMENT

**Check** if you need to have a **lung function test**, and if so, how to prepare  
**Take all your inhalers, spacers and any nasal sprays with you**

**HINT:** Ask for a longer appointment time for your Asthma Review

*Spirometry due every 1-2 years for most people with asthma*



### MY SYMPTOMS

Cough  
Wheeze  
Short of breath  
Chest tightness

Other:

#### In the past 4 weeks:

I had daytime asthma symptoms more than 2 days a week  
I had some trouble with daily activities or exercise due to my asthma  
I had some symptoms during the night or when I woke up  
I needed my reliever more than 2 days a week

**None of these**

Your asthma appears to be **well controlled**

**1-2 of these**

Your asthma appears to be **partially controlled**

**3-4 of these**

Your asthma appears to be **not controlled**

**Have you had any recent asthma attacks or unusual symptoms?**  
**How do your other conditions affect your breathing?**



### MY HAY FEVER OR ALLERGIES

I get Hay Fever (please circle one): often / occasionally / never / I'm not sure

I treat my Hay Fever with:

I also have other allergies:

(food allergy, drug allergy, eczema, anaphylaxis)

*Consider impact on asthma and best treatment*

*Is patient indicated for a corticosteroid nasal spray?*



**MY ASTHMA MEDICINES**

My reliever is:



I take  puffs/inhalations,

I have used up  relievers in the past 12 months

My preventer is:



I take  puffs/inhalations,

I am open to trying a new preventer or new style of inhaler

My other asthma medicines:

Medicine questions or issues:

What makes it harder to take your medicines?

- I'm worried about people seeing me using it
- I forget to use it
- My reliever is cheaper
- I can't feel it doing anything

Three or more short acting reliever canisters per year increases risk of asthma flare-ups

Consider cost and ability to use the style of inhaler



**MY INHALER TECHNIQUE**

Ask your doctor or nurse to check your technique in person

(even if you have been using the same ones a long time)

I need to practice:

- |                                     |  |                                     |
|-------------------------------------|--|-------------------------------------|
| <input type="checkbox"/> Accuhaler  | <input type="checkbox"/> Puffer            | <input type="checkbox"/> Turbuhaler |
| <input type="checkbox"/> Autohaler  | <input type="checkbox"/> Puffer and spacer | <input type="checkbox"/> Other:     |
| <input type="checkbox"/> Breezhaler | <input type="checkbox"/> Respimat          | <input type="text"/>                |
| <input type="checkbox"/> Ellipta    | <input type="checkbox"/> Spiromax          |                                     |

Check patient's technique with each device

## MY NOTES

## GP/NURSE NOTES



### MY WRITTEN ASTHMA ACTION PLAN

Ask your doctor or nurse to develop an Asthma Action Plan with you  
or

Ask your doctor or nurse to update your Asthma Action Plan with any changes

*ALL people with asthma need a written Asthma Action Plan*

*Check person has all scripts required for each plan stage*



### MY ASTHMA TRIGGERS

List your triggers here:

*If unsure, start writing a diary of your symptoms to monitor and identify triggers*

*Advise on management e.g. flu vax, reliever before exercise*



### MY SMOKING

I smoke / vape  times a day

*This includes cigarettes, cigars, pipes, bong, and e-cigarettes etc.*

I am exposed to other people's smoke / vaping    Yes    No

*Would you like help to quit smoking?*



### MY NEXT REVIEW

Book my next review in  weeks / months

- **Adults: 6 months** if you've had an asthma flare-up in the past 12 months or your doctor identifies any other asthma risk-factors
- **Children: 3-6 months** if asthma is stable and well-controlled

If you've had any changes to medication, or you've had a recent flare-up your doctor will want to see you again sooner.

*Book next appointment in advance*



### MY QUESTIONS AND NOTES

For more information about asthma, call Asthma Australia on **1800 ASTHMA (1800 278 462)** or email us at [asthmasupport@asthma.org.au](mailto:asthmasupport@asthma.org.au)



Need to refer a patient for further support? Visit [asthma.org.au/health-professionals](http://asthma.org.au/health-professionals) to find out how we can help and for health professional resources.

# ASTHMA ACTION PLAN

Take me when you visit your doctor



PATIENT NAME

PLAN DATE  REVIEW DATE

DOCTOR DETAILS

**EMERGENCY CONTACT**

NAME  PHONE

RELATIONSHIP

**WELL CONTROLLED** is all of these...

- needing reliever medication no more than 2 days/week
- no asthma at night
- no asthma when I wake up
- can do all my activities

Peak Flow reading (if used) above

**I NEED TO...**

**TAKE** preventer      day      night

name       puffs/inhalations       puffs/inhalations

- Use my preventer, even when well controlled
- Use my spacer with my puffer

**TAKE** reliever

name       puffs/inhalations as needed

puffs/inhalations 15 minutes before exercise

- Always carry my reliever medication

**FLARE-UP** is any of these...

needing reliever medication more than usual OR  days/week

woke up overnight with asthma

had asthma when I woke up

can't do all my activities

Peak Flow reading (if used) between  and

my triggers and symptoms

**I NEED TO...**

**TAKE** preventer      day      night

name       puffs/inhalations       puffs/inhalations

for  days then back to Well Controlled dose

**TAKE** reliever

name       puffs/inhalations as needed

**START** other medication

name       dose      for  days

**MAKE** an appointment to see my doctor **this week**

**SEVERE** is any of these...

reliever medication not lasting 3 hours

woke up frequently overnight with asthma

had asthma when I woke up

difficulty breathing

Peak Flow reading (if used) between  and

my triggers and symptoms

**I NEED TO...**

**TAKE** preventer      day      night

name       puffs/inhalations       puffs/inhalations

for  days then back to Well Controlled dose

**TAKE** reliever

name       puffs/inhalations as needed

**START** other medication

name       dose      for  days

**MAKE** an appointment to see my doctor **TODAY**

- If unable to see my doctor, visit a hospital

**If unable to see my doctor/hospital:**

**START** other medication

name       dose      for  days

**EMERGENCY** is any of these...

reliever medication not working

can't speak a full sentence

extreme difficulty breathing

feel asthma is out of control

lips turning blue

Peak Flow reading (if used) below

**I NEED TO...**

- CALL AMBULANCE NOW**  
Dial Triple Zero (000)
- START ASTHMA FIRST AID**  
Turn page for Asthma First Aid

# ASTHMA FIRST AID

## Blue/Grey Reliever

Airomir, Asmol, Ventolin or Zempreon and Bricanyl

Blue/grey reliever medication is unlikely to harm, even if the person does not have asthma



**DIAL TRIPLE ZERO (000) FOR AN AMBULANCE IMMEDIATELY IF THE PERSON:**

- is not breathing
- suddenly becomes worse or is not improving
- is having an asthma attack and a reliever is not available
- is unsure if it is asthma
- **has a known allergy to food, insects or medication and has SUDDEN BREATHING DIFFICULTY, GIVE ADRENALINE AUTOINJECTOR FIRST (if available), even if there are no skin changes, then use a reliever**

**1**



**SIT THE PERSON UPRIGHT**

- Be **calm** and reassuring
- **Do not leave** them alone

**2**



**GIVE 4 SEPARATE PUFFS OF RELIEVER PUFFER**

- **Shake** puffer
- Put **1 puff** into spacer
- Take **4 breaths** from spacer
  - Repeat until **4 puffs** have been taken



If using **Bricanyl**, give 2 separate inhalations (5 years or older)

If you don't have a spacer handy in an emergency, take **1 puff** as you take **1 slow, deep breath** and hold breath for as long as comfortable. **Repeat** until all puffs are given

**3**



**WAIT 4 MINUTES**

- If breathing does not return to normal, give **4 more separate puffs** of reliever as above



**Bricanyl:** Give 1 more inhalation

## IF BREATHING DOES NOT RETURN TO NORMAL

**4**



**DIAL TRIPLE ZERO (000)**

- Say **'ambulance'** and that someone is having an asthma attack
- Keep giving **4 separate puffs every 4 minutes** until emergency assistance arrives



**Bricanyl:** Give 1 more inhalation **every 4 minutes** until emergency assistance arrives